

rieke
Industrial

Global solutions, world class expertise, where you need them, all the time



Industrial Plastic Containers, Metal Containers, Dispensing Products and Triggers, Wrenches and Tools

Rieke Packaging is a global leader in closures and dispensing solutions, offering a wide range of systems to meet individual and branding requirements.

With global manufacturing facilities, we have the knowledge and capability to devise tailored solutions for even the most challenging projects.

In addition to our standard ranges, our innovation teams can create custom designs to support specific marketing and brand strategies, while our comprehensive support services complete a one stop shop for your industrial closure and dispensing requirements.

Industrial Closures, Plastic Containers



FS-10-10-231 FLEXSPOUT® closure

Features:

- Tamper evident pull out of diaphragm
- Gray 40mm cap large opening for easy opening
- Anti-Glug

Size - Affixes to 2 3/8" (63mm) opening



FS-10-8V-300 FLEXSPOUT® closure

Features:

- Black 38mm spout screw cap is double-bailed for easy removal
- Tamper-evident pull-tab seal
- Spout has a pullout diaphragm for added protection
- Anti-Glug

Size - Affixes to 2 3/8" (63mm) opening



PX-1 PLASTIC CAP SEAL VISEGRIP®

Size - 3/4" (20mm)

PX-3 PLASTIC CAP SEAL VISEGRIP®

Size - 2" (50mm)



X-1 Metal Cap Seal VISEGRIP®

Features:

- For added protection against tampering and leakage, Rieke Packaging offers a choice of cap seals as a final drum closure component. All cap seal designs are suitable for virtually any packaged product
- Optionally PE-cap or All-plastic cap seal versions available
- Customized logo imprint possible

Size - 3/4" (20mm)



X-3 Metal Cap Seal VISEGRIP®

Features:

- For added protection against tampering and leakage, Rieke Packaging offers a choice of cap seals as a final drum closure component. All cap seal designs are suitable for virtually any packaged product
- Optionally PE-cap or All-plastic cap seal versions available
- Customized logo imprint possible

Size - 2" (50mm)



K-360 - Closure 38mm with foldable spout for plastic containers

3 TE-features:

- Tamper-evident ring
- Bails with breakable segments
- Integrated tamper-evident seal
- 2 lifting-bails for ease of handling
- Foldable spout as pouring aid

Seal - Bore Seal

Application - Automotive Lubricants+Fluids, 0.5 - 5l plastic containers

Neck spec - 38mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 30,000 pcs.



K-529 - Closure 50mm with foldable spout for plastic containers

3 TE-features:

- Tamper-evident ring
- Bails with breakable segments
- Integrated tamper-evident seal
- Anti-glug lamellas for ease of pouring
- 2 lifting-bails for ease of handling
- Foldable spout as pouring aid

Seal - Bore Seal

Application - Automotive Lubricants, 4 - 20l plastic containers

Neck spec - 50mm (50/29)

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 17,000 pcs



K-602 - Closure 61mm with foldable spout and tab integrated

Features:

- Tamper-evident ring and Tamper-evident cover
- All-in-one solution (cap+spout+tab) for ease of dosing
- Reduced number of SKUs
- Containers remain stackable during transport
- Limit handling (to remove cap + install tab)
- Less handling of heavy containers
- Less risk of contamination for users
- Brings convenience + extra safety to users

Seal - Bore Seal

Application - Lubricants, Chemicals, 20-60l Jerrycans + Poly Drums

Neck spec - 61mm

Standard Colors - black - other colors available

Packaging - 1 pallet = 6,400 pcs



PPA-10-2

Features:

- Plastic shipping plug
- Thread reduced plugs

Size - 3/4" (20mm)



PPA-11-2

Features:

- National Pipe Thread (NPS) Plugs - Gasket
- Compatible with metal containers

Size - 3/4" (20mm)

Color - Natural

Recommended Gasket - GK-91 or GK-91W



PPA-41 VISEGRIP® II

Features:

- Gasket required
- Fit NPS threads
- Can be cap sealed with a plastic SAFESEAL® or metal VISEGRIP II cap seal using standard crimping equipment
- Meet UN Packaging Standards
- Are available in High-Impact Polypropylene, or High-Density Polyethylene (HDPE) with a UV inhibitor
- Compatible with metal containers

Size - 3/4" (20mm)

Color - Natural, yellow



PPA-57 Plastic Drum Plug

Features:

- Incorporates "easy start" threads for quicker engagement. Satisfies 178.605 PKG group hydrostatic testing requirements. Promotes reconditioning and reuse of the containers

Size - 2" (50mm)

Color - Natural

Material - (HDPE) or polypropylene copolymer

Recommended Gasket - GK-97W



PPA-57-B-5

Features:

- Incorporates "easy start" threads for quicker engagement. Satisfies 178.605 PKG group hydrostatic testing requirements. Promotes reconditioning and reuse of the container

Size - 2" (50mm) Buttress

Color - Natural

Material - (HDPE) or polypropylene copolymer

Recommended Gasket - GK-96W



PV-21 - Synthetic Rubber Vent

Features:

- Available in Buna-N and EPDM material
- Pressure or vacuum relief for one-way venting



TFS-1

Features:

- The TFS-1 for metal containers and the TFS-1P for plastic containers are both made of a virgin polyethylene and offer many of the same features as the standard FLEXSPOUT® closure, including a tear-out tamper-evident diaphragm

Size - Large 1-15/16" (49mm) fill opening and 7/8"(22mm) pouring orifice for quick filling and dispensing

Color - Clear; colorless



TFS-2

Features:

- Originally, these closures were a product response to a specific need in the paint industry. The fact they can be conveniently removed and resealed simplified the task of adding colorant to a paint can

Size - Each affixes to a standard 1-15/16" (49mm) fill opening

Color - Clear; colorless



GK-71-3

Features:

- 3/4" Polyseal irradiated gasket

Size - 3/4" (20mm)

Color - Natural

Packaging - 1000 or 2500 per box



GK-73-3

Features:

- 2" Polyseal irradiated gasket

Size - 2" (50mm)

Color - Natural

Packaging - 1000 or 2500 per box



GK-43

Features:

- 2" Visecar gasket

Size - 2" (50mm)

Color - Black

Packaging - 1000 or 2500 per box



GK-43-W

Features:

- 2" Visecar gasket

Size - 2" (50mm)

Color - White

Packaging - 1000 or 2500 per box



GK-41

Features:

- 3/4" Black Visecar gasket

Size - 3/4" (20mm)

Color - Black

Packaging - 1000 or 2500 per box



GK-41-W

Features:

- 3/4" Visecar gasket

Size - 3/4" (20mm)

Color - White

Packaging - 1000 or 2500 per box



K 362/1 SK – 38mm

Features:

- Tamper evident
- Screw on cap
- PE Liner
- Alu Liner

Neck spec - 38mm

Standard Colors - black, red - other colors

available upon request

Packaging - 1 pallet = 38.000 pcs. 1 case = 1,900



K 36/1 SK – 38mm

Features:

- Tamper evident
- Screw on cap
- PE Liner
- Alu Liner

Neck spec - 38mm

Standard Colors - black, red - other colors

available upon request

Packaging - 1 pallet = 38.000 pcs. 1 case = 1,900



K 36/1 SK PE CR – 38mm

Features:

- Tamper evident
- Screw on cap
- PE Liner
- Alu Liner

Neck spec - 38mm

Standard Colors - black, red - other colors

available upon request

Packaging - 11 pallet = 28.000 pcs. 1 case = 1400



K 368/1 PE Pull out spout – 38mm

Features:

- Tamper evident
- Screw on cap
- Pull out spout
- PE Liner

Neck spec - 38mm

Standard Colors - black, red - other colors

available upon request

Packaging - 1 pallet = 15.000 pcs. 1 case = 750



K 375 SK – 37.5mm

Features:

- Tamper evident
- Screw on cap
- PE Liner
- Alu Liner

Neck spec - 37.5mm

Standard Colors - black, red - other colors

available upon request

Packaging - 1 pallet = 24.000 pcs. 1 case = 1,200



K 500/3 AG – 50mm

Features:

- Tamper evident
- Screw on cap
- Anti-glug
- Pull out spout

Neck spec - 50mm

Standard Colors - black, red - other colors

available upon request

Packaging - 1 pallet = 17.000 pcs. 1 case = 850



K 601 D – 57mm

Features:

- Tamper evident
- Press in
- Pull out spout

Neck spec - 57mm

Standard Colors - black, red - other colors

available upon request

Packaging - 1 pallet = 14.000 pcs. 1 case = 700



K 20-52 Vented Pail – 19.4mm

Features:

- Press in

Neck spec - 19.4mm

Standard Colors - black, red - other colors

available upon request

Packaging - 1 pallet = 100.000 pcs. 1 case = 5,000



SK 25 Vented Pail – 20.4mm

Features:

- Tamper evident
- Screw on cap

Neck spec - 20.4mm

Standard Colors - black, red - other colors

available upon request

Packaging - 1 pallet = 56.000 pcs. 1 case = 2,800



Push Pull Beverage – 38mm

Features:

- Screw on cap
- Spout
- Alu Liner

Neck spec - 38mm

Standard Colors - black, red - other colors

available upon request

Packaging - 1 pallet = 43,200 pcs. 1 case = 1,800



K 375 SK – 45.8mm

Features:

- Tamper evident
- Press in
- Anti-glug
- Spout

Neck spec - 45.8mm

Standard Colors - black, red - other colors

available upon request

Packaging - 1 pallet = 18.000 pcs. 1 case = 900



FS-10-10 Flexspout® TE, Spout– 60mm

Features:

- Tamper evident
- Crimp on
- Pull out spout
- Anti-glug
- PE Liner

Neck spec - 60mm

Standard Colors - black, red - other colors

available upon request

Packaging - 1 pallet = 12.000 pcs. 1 case = 500



SC63TE Plastic Cap

Features:

- Standard 63-400 thread size fits a wide variety of containers
- Available with tamper-evident, child-resistant and anti-backoff features
- Made of polypropylene-co-polymer material
- Standard colour is white; additional colours available
- W400-2 plastic wrench for SC63TE
- Recommended neck finish available on request



PFA-22 Polygrip - 60mm

Features:

- Crimp on
- Tamper-evident diaphragm
- 3/4" Plug

Neck spec - 60mm

Standard Colors - Natural/Gray - other colors available upon request

Packaging - 1 pallet = 13,500 pcs. 1 case = 500



PFA-32 Polygrip - 60mm

Features:

- Crimp on
- Tamper-evident diaphragm

Neck spec - 60mm

Standard Colors - Natural - other colors available upon request

Packaging - 1 pallet = 13,500 pcs. 1 case = 500



FS-10-16 Flexspout® TE, AG, Spout- 63mm

Features:

- Tamper evident
- Snap on
- Pull out spout
- Anti-glug

Neck spec - 63mm

Standard Colors - Gray, white - other colors available upon request

Packaging - 1 pallet = 12,000 pcs. 1 case = 500



Screw Cap 38mm

Features:

- Screw on cap
- Alu liner

Neck spec - 38mm

Standard Colors - Red, Black, Blue, Green, - Other colors available upon request

Packaging - 1 pallet = 75,000 pcs. 1 case = 3,000



FS-70- 70mm

Features:

- Screw on
- 3/4" threads for Flo-Rite

Neck spec - 70mm

Standard Colors - Natural - other colors available upon request

Packaging - 1 pallet = 8,000 pcs. 1 case = 500



SC-381- 38mm

Features:

- Screw on
- Child Resistant

Neck spec - 38mm

Standard Colors - Blue, white - other colors available upon request

Packaging - 1 case = 1,000

Industrial Closures, Metal Containers



FS-10-8V-300 FLEXSPOUT® closure

Features:

- Black 38mm spout screw cap is double-bailed for easy removal
- Tamper-evident pull-tab seal
- Spout has a pullout diaphragm for added protection
- Anti-Glug

Size - Affixes to 2 3/8" (63mm) opening



FS-10-10-231 FLEXSPOUT® closure

Features:

- Tamper evident pull out of diaphragm
- Gray 40mm cap large opening for easy opening
- Anti-Glug

Size - Affixes to 2 3/8" (63mm) opening



Flexspout® Shipping Cap FS-20

Features:

- Crimp on
- Metal shipping cap/dust cover for metal containers
- Paint oven usage common

Neck spec - 5 gallon steel pail shipping cap

Packaging - 1 case = 2,500 pcs. per box



D-200 VISEGRIP®

Features:

- Agitator Bracket Assembly
- Supplied plated unless otherwise specified

Size - 1-1/2" (38mm) VISEGRIP® flange



R-4 VISEGRIP® II

Features:

- Are constructed of a heavy-gauge steel
- Feature NPS pipe threading
- Electro Zinc chromate finish, but are also available in unplated steel, or lined with commercial coatings

Size - 3/4" (20mm) NPS



R-5 VISEGRIP®

Features:

- Are constructed of a heavy-gauge steel
- Feature NPS pipe threading
- Yellow chromate finish, but are also available in unplated steel, or lined with commercial coatings

Size - 1-1/2" (38mm)

Material - Electro-zinc plated



R-6 VISEGRIP® II

Features:

- Are constructed of a heavy-gauge steel
- Feature NPS pipe threading
- Electro Zinc chromate finish, but are also available in unplated steel, or lined with commercial coatings

Size - 2" (50mm) NPS

Has two holes for better drainability



S-200 VISEGRIP® II

Features:

- Rounded bottoms make thread engagement easier
- Hexagonal shoulder makes them easy to open without wrenches
- Wide shoulders and concentric sealing beads lock gaskets securely in place
- Electro Zinc chromate finish. Also available in unplated steel or lined with commercial coatings

Description - Distinctive for its flathead surface; no crossbar or dome feature.

Size - 3/4" (20mm) NPS



S-200-1814 V Vacuum Relief

Features:

- Special for hot fill
- Steel plug application

Size - 3/4" (20mm)



S-210 VISEGRIP®

Features:

- Distinctive for its flathead surface
- No crossbar or dome feature

Size - 1-1/2" (38mm)



S-220-2 VISEGRIP® II High Pressure Vent Plug

Features:

- Rounded bottoms make thread engagement easier
- Hexagonal shoulder makes them easy to open without wrenches
- Electro Zinc chromate finish. Also available in unplated steel or lined with commercial coatings

Description - Pressure vented closure

Size - 2" (50mm) NPS VISEGRIP® II



S-250 VISEGRIP® II

Features:

- Rounded bottoms and EZ grip crossbar make thread engagement easier
- Hexagonal shoulder makes them easy to open without wrenches
- Electro Zinc chromate finish. Also available in unplated steel or lined with commercial coatings

Description - Distinctive for its flathead surface; crossbar 2" NPS features.

Size - 2" (50mm) NPS



GH-4 TITEGRIP®

Features:

- Threads are rolled rather than cut. This facilitates a smoother thread connection and greatly reduces the chance of contaminating the drum contents with burrs or shavings
- Non-machined, cold-formed neck for improved strength

Size - 3/4" (20mm)



GH-6 TITEGRIP®

Features:

- Threads are rolled rather than cut. This facilitates a smoother thread connection and greatly reduces the chance of contaminating the drum contents with burrs or shavings
- Non-machined, cold-formed neck for improved strength

Size - 2" (50mm)



T-200 TITEGRIP®

Features:

- Made from premium deep-drawing quality steel, TITEGRIP® plugs are noted for perfect balance, uniform dimensions and a high-quality finish
- Threads are rolled instead of cut—creates a smoother thread connection and reduces the chance of contaminating drum contents with metal burrs or shavings
- Utilises standard insertion tools, wrenches and seals

Size - 3/4" (20mm)



T-250 TITEGRIP®

Features:

- Made from premium deep-drawing quality steel, TITEGRIP® plugs are noted for perfect balance, uniform dimensions and a high-quality finish
- Threads are rolled instead of cut—creates a smoother thread connection and reduces the chance of contaminating drum contents with metal burrs or shavings
- Utilises standard insertion tools, wrenches and seals

Size - 2" (50mm)



X-1 VISEGRIP® Metal Cap Seal

Features:

- For added protection against tampering and leakage, Rieke Packaging offers a choice of cap seals as a final drum closure component. All cap seal designs are suitable for virtually any packaged product
- Optionally PE-cap or All-plastic cap seal versions available
- Customized logo imprint possible

Size - 3/4" (20mm)



X-3 VISEGRIP® Metal Cap Seal

Features:

- For added protection against tampering and leakage, Rieke Packaging offers a choice of cap seals as a final drum closure component. All cap seal designs are suitable for virtually any packaged product
- Optionally PE-cap or All-plastic cap seal versions available
- Customized logo imprint possible

Size - 2" (50mm)



X-5 VISEGRIP® II Metal Cap Seal

Features:

- Feature a scored breakaway seal in the surface of the cap
- Require only a standard VISEGRIP® II @GV-10/GV-30 crimping tool to be applied

Size - 3/4" (20mm)



X-6 VISEGRIP® II Metal Cap Seal

Features:

- Feature a scored breakaway seal in the surface of the cap
- Require only a standard VISEGRIP® II @GV-10/GV-30 crimping tool to be applied

Size - 2" (50mm)



XT-1 TITEGRIP® Metal Cap Seal

Size - 3/4" (20mm)



XT-3 TITEGRIP® Metal Cap Seal

Size - 2" (50mm)



PXT-1 TITEGRIP® Plastic Cap Seal

Size - 3/4" (20mm)



PXT-3 TITEGRIP® Plastic Cap Seal

Size - 2" (50mm)



PX-1 VISEGRIP® Plastic Cap Seal

Size - 3/4" (20mm)



PX-3 VISEGRIP® Plastic Cap Seal

Size - 2" (50mm)



AP-5 VISEGRIP® II All Plastic Cap Seal 3/4 closures

Features:

- Feature a scored breakaway plastic seal ring made of high density polyethylene
- Can be applied without tools
- Are 100% recyclable

Size - 3/4" (20mm)

Also available:

AP-6 ALL PLASTIC CAP SEAL

Size - 2" (50mm)



APT-1 5000 TITEGRIP® All Plastic Cap Seal

Size - 3/4" (20mm)



APT-3 5000 TITEGRIP® All Plastic Cap Seal

Size - 2" (50mm)




PPN-41 VISEGRIP® II Closure Systems

Features:

- Meets UN performance requirements with elastomeric gaskets and poly irradiated gaskets
- Meets UN performance requirements with polyirradiated gaskets
- Features a nylon materials factory mutual approved to meet protection guidelines in NFPA 30, chapter 4, sections 4-8
- Meets CEN standards

Size - 3/4" (20mm)

Thread - NPS



PPN-81 VISEGRIP® II Closure Systems

Features:

- Meets UN performance requirements with elastomeric gaskets and poly irradiated gaskets
- Meets UN performance requirements with polyirradiated gaskets
- Features a nylon materials factory mutual approved to meet protection guidelines in NFPA 30, chapter 4, sections 4-8
- Meets CEN standards

Size - 2" (50mm)

Thread - NPS



PNN-31

For TITEGRIP® Flange System 3/4" Closure

Features:

- Meets UN performance requirements with elastomeric gaskets and poly irradiated gaskets
- Meets UN performance requirements with polyirradiated gaskets
- Features a nylon material
- Is Factory Mutual approved to meet protection guidelines in NFPA 30, chapter 4, sections 4-8

Size - 3/4" (20mm)

Thread - NPS

For Octagon Flange System 3/4" Closure



PNN-71

For TITEGRIP® Flange System 2" Closure

Features:

- Meets UN performance requirements with elastomeric gaskets and poly irradiated gaskets
- Meets UN performance requirements with polyirradiated gaskets
- Features a nylon material
- Is Factory Mutual approved to meet protection guidelines in NFPA 30, chapter 4, sections 4-8

Size - 2" (50mm)

Thread - NPS



PPA-31 TITEGRIP® 3/4" NPS Plastic Plug

Features:

- 3/4" NPS Plastic Plug
- (HDPE) materials Polypropylene

Size - 3/4"

Recommended Gasket - NPS Plug Gasket required



PPA-71 TITEGRIP® Plastic Plugs

Features:

- Gasket required
- Fit NPS threads
- Can be cap sealed with a plastic SAFESEAL® or metal VISEGRIP® II cap seal using standard crimping equipment
- Meet UN Packaging Standards
- Are available in High-Impact Polypropylene, or High-Density Polyethylene (HDPE) with a UV inhibitor

Size - 2" NPS TITEGRIP®.

Recommended Gasket - Gasket required in High-Impact Polypropylene or (HDPE) material

Color - Natural



PPA-81 VISEGRIP® II

Features:

- Gasket required
- Fit NPS threads
- Can be cap sealed with a plastic SAFESEAL® or metal VISEGRIP® II cap seal using standard crimping equipment
- Meet UN Packaging Standards
- Are available in High-Impact Polypropylene, or High-Density Polyethylene (HDPE) with a UV inhibitor

Size - 2" (50mm)

Color - Natural



Z Funnel

Features:

- Standard colors include red and white
- Special colors with a minimum amount of 100,000 pieces

Standard Closure - B32/2 DD, B32/2 DD CR, B32 REL CR, B32 REL CR ALU



B 24/2 REL CR - 24mm

Features:

- Tamper evident
- REL
- Child Resistant

Neck spec - 24mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 60,800 pcs. 1 case = 3,800



B 24/2 AF - 24mm

Features:

- Tamper evident
- DIN

Neck spec - 24mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 60,800 pcs. 1 case = 3,800



B 32/2 DD - 32mm

Features:

- Tamper evident
- Aerosol

Neck spec - 32mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 54,000 pcs. 1 case = 2,700



B 32/2 DD CR – 32mm

Features:

- Tamper evident
- Aerosol
- Child Resistant

Neck spec - 32mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 44,000 pcs. 1 case = 2,200



B 32 REL CR – 32mm

Features:

- Tamper evident
- REL
- Anti-glug

Neck spec - 32mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 44,000 pcs. 1 case = 2,200



B 32 REL CR ALU – 32mm

Features:

- Tamper evident
- REL
- ALU

Neck spec - 32mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 45,000 pcs. 1 case = 2,250



B 32 REL – 32mm

Features:

- Tamper evident
- REL
- Anti-glug

Neck spec - 32mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 45,000 pcs. 1 case = 2,250



B 32 FA – 32mm

Features:

- Tamper evident
- DIN

Neck spec - 32mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 40,000 pcs. 1 case = 2,000



B 32 CR – 32mm

Features:

- Tamper evident
- DIN
- Child Resistant

Neck spec - 32mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 40,000 pcs. 1 case = 2,000



B 303 REL – 32mm

Features:

- Tamper evident
- REL
- Pull out spout

Neck spec - 32mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 30,000 pcs. 1 case = 1,500



B 42/1 REL CR – 42mm

Features:

- Tamper evident
- REL
- Child Resistant

Neck spec - 42mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 28,000 pcs. 1 case = 1,400



B 403 REL – 42mm

Features:

- Tamper evident
- REL
- Pull out spout

Neck spec - 42mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 34,000 pcs. 1 case = 1,700



B 403 REL CR – 42mm

Features:

- Tamper evident
- REL
- Child Resistant
- Pull out spout

Neck spec - 42mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 34,000 pcs. 1 case = 1,700



B 42/1 CR – 42mm

Features:

- Tamper evident
- DIN

Neck spec - 42mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 28,000 pcs. 1 case = 1,400



B 42/1 AFZ – 42mm

Features:

- Tamper evident
- DIN

Neck spec - 42mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 30,000 pcs. 1 case = 1,500



B 42/1 HP 75 100ml Brush – 42mm

Features:

- Tamper evident
- DIN
- Brush in cap

Neck spec - 42mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 14,000 pcs. 1 case = 700



B 42/1 HP 75 140ml Brush – 42mm

Features:

- Tamper evident
- DIN
- Brush in cap

Neck spec - 42mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 11,000 pcs. 1 case = 550



B 402/2 AFZ – 42mm

Features:

- Tamper evident
- DIN
- Pull out spout

Neck spec - 42mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 40,000 pcs. 1 case = 2,000



B 402/2.C – 42mm

Features:

- Tamper evident
- DIN
- Pull out spout

Neck spec - 42mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 40,000 pcs. 1 case = 2,000



B 402 AFZ CR – 42mm

Features:

- Tamper evident
- DIN
- Child Resistant
- Pull out spout

Neck spec - 42mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 34,000 pcs. 1 case = 1,700



B 601 – 42mm

Features:

- Tamper evident
- DIN
- Pull out spout

Neck spec - 42mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 16,000 pcs. 1 case = 800



B 601 AG – 57mm

Features:

- Tamper evident
- DIN
- Anti-glug
- Pull out spout

Neck spec - 57mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 16,000 pcs. 1 case = 800



B 601 D – 57mm

Features:

- Tamper evident
- DIN
- Pull out spout

Neck spec - 57mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 15,000 pcs. 1 case = 750



B 601 D AG – 57mm

Features:

- Tamper evident
- DIN
- Anti-glug
- Pull out spout

Neck spec - 57mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 15,000 pcs. 1 case = 750



B 6012/1 DSA tap system cross linked – 57mm

Features:

- Tamper evident
- D/ECO
- Pull out spout

Neck spec - 57mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 8,000 pcs. 1 case = 500



B 655 reusable cap – 57mm

Features:

- DIN

Neck spec - 57mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 34,000 pcs. 1 case = 1,800



B 100 D – 100mm

Features:

- Tamper evident
- D/ECO

Neck spec - 100mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 5,600 pcs. 1 case = 280



Flip Top – 24mm

Features:

- Tamper evident
- D/ECO

Neck spec - 24mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 5,600 pcs. 1 case = 280



TFS-1 Directional Spout – 49mm

Features:

- Tamper evident
- Pull out spout

Neck spec - 49mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 case = 1,000



FS 10-10 TE + AG – 63mm

Features:

- Tamper evident
- Crimp on
- Anti-glug
- Pull out spout

Neck spec - 63mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 12,000 1 case = 500



JSFS-1 – 35mm

Features:

- Tamper evident
- Pull out spout

Neck spec - 35mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 pallet = 60,000 1 case = 5,000



HZ-24 REL – 24mm

Features:

- REL
- Child Resistant

Neck spec - 24mm

Standard Colors - black, red - other colors available upon request

Packaging - 1 case = 3,000



HZ-25 AERO – 25mm

Features:

- Aerosol
- Child Resistant

Neck spec - 25mm

Standard Colors - black, red - other colors available upon request



HZ-10-CR-AERO – 10mm

Features:

- Aerosol
- Child Resistant

Neck spec - 32mm

Standard Colors - black, red - other colors available upon request



HZ-32 REL – 32mm

Features:

- REL

Neck spec - 32mm

Standard Colors - black, red - other colors available upon request



HZ-60-H – 60mm

Features:

- DIN
- Child Resistant

Neck spec - 60mm

Standard Colors - black, red - other colors available upon request




HZ-60-H-SP – 60mm

Features:

- DIN
- Child Resistant

Neck spec - 60mm

Standard Colors - black, red - other colors available upon request



FLIP TOP 24mm

Features:

- Tamper evident
- DIN

Neck spec - 24mm

Standard Colors - Red, Blue, Yellow - Other colors available upon request

Industrial Wrenches & Tools



IATX-01

Features:

- Crimping Tool
- AIR
- TITEGRIP® 3/4 INCH PLASTIC SEALS



IATX-03

Features:

- Crimping Tool
- AIR
- TITEGRIP® 2 INCH PLASTIC SEALS



2" Crimping Tool for Metal Capsesals

Features:

- Rieke Packaging Systems' manual crimping tools are easy to use and versatile.
- Optional air-matic Power crimping tool available



3/4 Crimping Tool for Metal Capsesals

Features:

- Rieke Packaging Systems' manual crimping tools are easy to use and versatile.
- Optional air-matic Power crimping tool available



FS-600 Crimping Tool

Features:

- For application of all standard and self-venting FLEXSPOUT® closures, and PFA-22 and PFA-32 POLYGRIP closures.
- Seals on plastic and all gauges of steel.
- Affixes closure to pail or can in one easy stroke optional air power tools available.
- Operated power tool available (IAFS-600) to accommodate closure insertion on automatic filling lines

Industrial Dispensers and Triggers



RS-10

Features:

- Suitable for a range of liquids
- Optional head design
- Two piece head design for vertical dispensing
- Optional ball or flap valve
- Optional universal closure to fit range of bottles
- Large-lid adaptor to fit range of lid sizes

Dose - 5ml, 7.7ml, 8ml, 10ml

Standard closures - 28/400, 28/410, 38/400



1 to 4ml and 5 to 7.5ml

Features:

- For liquids, creams and gels
- Optional head designs
- Broad chemical compatibility
- No metal contact options
- Wide range of closures
- Robust and durable
- Customization options
- Controlled delivery via angled spout
- Widely used in the pharmaceutical industry
- Snap on Collar only

Dose - 1ml, 2ml, 3ml, 4ml (Essential also 5ml & 7.5ml)

Standard closures - Min 25mm
Min 31mm



RS-30

Features:

- Suitable for a range of liquids including particulates
- Shippable in locked down position
- 1.5 head turns allows pump head to sit inbound
- Tamper evident collar
- Two piece head design for vertical dispensing
- Ball and flap valve options to suit different products
- Large-lid adaptor to fit a range of lid sizes
- 4mm, 6mm and 8mm nozzle options

Dose - 5ml, 10ml, 15ml, 20ml, 25ml, 30ml

Standard closures - Min 38mm



Swift Doser

Features:

- User-friendly, ergonomic design
- For liquids, lotions and creams
- Accurate calibrated dose
- Large range of dose options
- Choice of nozzles
- Can be used in inverted mode
- Widely used in the veterinary industry

Dose - 1.0, 1.5, 2.0, 2.5, 3.0

Standard closures - Min 38mm



E-30

Features:

- Low viscosity products
- Strong and durable
- Customization options
- Wide range of closure options
- Broad chemical compatibility
- Reusable

Dose - 5ml, 10ml, 15ml, 20ml, 25ml, 30ml

Standard closures - Min 38mm



Hybrid

Features:

- Handles viscous products
- Strong and durable
- Constructed with food grade materials
- Wide range of closure options
- Broad chemical compatibility
- Reusable
- Customization options

Dose - 5ml, 10ml, 15ml, 20ml, 25ml, 30ml

Standard closures - Min 38mm



FND-30

Features:

- Fixed nozzle
- One handed operation
- Constructed with food grade materials
- Non drip with optional nozzle insert
- No metal contact
- Dishwasher safe options
- Broad chemical compatibility
- Reusable
- Customization options

Dose - 5ml, 10ml, 15ml, 20ml, 25ml, 30ml

Standard closures - Min 38mm



100ml Major

Features:

- Heavy duty
- Nozzle adaptors available
- No metal contact option
- Optional transparent cylinder with graduated label
- Inbuilt draining system

Dose - 25, 50, 75, 100ml

Standard closures - Min 38mm



Wall Mount Dispenser

Features:

- Sturdy construction
- Robust and durable
- Simple wall mounting
- Range of doses
- Broad chemical compatibility

Dose - 1ml, 2ml, 3ml, 4ml (5ml & 7.5ml available on 31mm closure)

Standard closures - 25DIN, 28DIN, 28BS, 31BS



250ml Major

Features:

- Heavy duty
- Nozzle adaptors available
- No metal contact option
- Optional transparent cylinder with graduated label
- Inbuilt draining system

Dose - 150, 200, 250ml

Standard closures - Min 38mm



FND-125

Features:

- Meets all FDA requirements for food grade products
- No metal contact dispensing
- Compact design made of highly durable polypropylene
- Fixed nose prevents movement when dispensing water
- Efficient water supply, precise, without spillage, drips or leaks
- Safe and easy operation, even for children
- Avoids dangerous and unnecessary jug maneuvers
- Easy to install and remove for cleaning
- Adapts to a wide range of snap caps or special threads
- Can be personalized with a print of your brand logo on the cap

Dose - 125ml

Standard closures - Min 51mm



TP-300 Dispenser

Features:

- High dose transfer pump
- Effortless lever-action
- Rotating spout
- Telescopic suction pipe
- Closure adaptors
- Manufactured in standard or FDA food contact approved materials

Dose - 300ml

Standard closures - Min 38mm



DF-103

Features:

- 3/4" Florite
- Fast smooth flow
- Broad chemical compatibility

Dose - On-Off valve

Standard closures - 3/4" - NPT thread Faucet



DF-201

Features:

- 2" FLO-KING® faucet
- Shoulder gasket for superior seal
- Easy start thread design for plastic NPS drum threads
- Fast smooth flow
- Easy to fit
- High quality construction
- EPDM gasket
- Broad chemical compatibility

Standard closures - Fits 2" ISO/NTPT thread systems



6N56B4

Buttress Thread Plugs requiring a Gasket

Features:

- Available with a 3/4"(20mm) threaded opening with a knockout diaphragm. Satisfies 178.605 PKG group hydrostatic testing requirements

Size - 56mm (56x4 standard European size)

Material - (HDPE) or polypropylene copolymer

Recommended Gasket - GK-956



E Series Trigger 0.7ml Spray

Features:

- Stream/ Spray/ Foam

Dose - 0.7ml

Standard closures - 28/400 - 28/410 - 28mm NR



ULTIMATE-C Trigger 0.95ml & 1.3ml Sprayer

Features:

- Stream/ Spray/ Foam

Dose - 0.95ml, 1.3ml

Standard closures - 28/400 - 28/410 - 28mm NR



SUPREME Trigger 1.3ml Sprayer

Features:

- Spray/ Foam
- Inverted
- Pressure build up
- High quality performance.
- Wide dented 2-finger trigger handle.
- Elegantly designed 2-pc shroud that can be customised

Dose - 1.3ml

Standard closures - 28/400 - 28/410 - 28/415 - 28mmNR



Ultimate-E-Commerce Trigger Sprayer

Features:

- Designed to avoid damage or leakage in the e-commerce channel
- Minimizes E-Commerce shipping preparation
- Provides Consumers with an "in-store shopping experience"
- Leak proof even with minimal product viscosity
- Approved by Amazon®
- Specific Ratchet PETE bottle neck finish
- Multiple spray options available

Dose - 0.9ml

Standard closures - 28/400



MR50 & MR50XL

MR50-B - Americal Buttress Thread Base

Features:

- Fit 3/4" and 2" drum openings
- Cylinder head allows a 360° spigot orientation
- MR50 dose up to 225ml
- MR50XL dose up to 450ml
- For industrial applications only

Dose - Up to 450ml

Standard closures - 3/4" or 2" BSP drum



M45 - M855

Features:

- M45 dose up to 225ml
- M855 dose up to 450ml
- Internal parts are steel or zinc plated to improve product compatibility
- Easy install and operation

Dose - Up to 450ml

Standard closures - M45 - closure for attachment to Rieke Flexspout® M855 2" drum opening. Available in nylon or LDPE pistons for chemical compatibility.

Global Footprint



